



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/600,546      | 07/12/2000  | CLAUDE CHAPPERT      | 15675.P322          | 7116             |

7590 03/22/2004

BLAKELY SOKOLOFF TAYLOR & ZAFMAN  
12400 WILSHIRE BOULEVARD  
7TH FLOOR  
LOS ANGELES, CA 90025

[REDACTED] EXAMINER

ANGEBRANNDT, MARTIN J

| ART UNIT | PAPER NUMBER |
|----------|--------------|
|          | 1756         |

DATE MAILED: 03/22/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

SK

|                        |                        |                     |
|------------------------|------------------------|---------------------|
| <b>Advisory Action</b> | <b>Application No.</b> | <b>Applicant(s)</b> |
|                        | 09/600,546             | CHAPPERT ET AL.     |
|                        | <b>Examiner</b>        | <b>Art Unit</b>     |
|                        | Martin J Angebranndt   | 1756                |

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

THE REPLY FILED 24 February 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a)  The period for reply expires 3 months from the mailing date of the final rejection.
- b)  The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.  
ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1.  A Notice of Appeal was filed on \_\_\_\_\_. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2.  The proposed amendment(s) will not be entered because:
  - (a)  they raise new issues that would require further consideration and/or search (see NOTE below);
  - (b)  they raise the issue of new matter (see Note below);
  - (c)  they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
  - (d)  they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: \_\_\_\_\_.

3.  Applicant's reply has overcome the following rejection(s): \_\_\_\_\_.
4.  Newly proposed or amended claim(s) \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5.  The a) affidavit, b) exhibit, or c) request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet.
6.  The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7.  For purposes of Appeal, the proposed amendment(s) a) will not be entered or b) will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: none.

Claim(s) objected to: 7.


Claim(s) rejected: 1-6,8-11,14 and 17-19.

Claim(s) withdrawn from consideration: \_\_\_\_\_.

8.  The drawing correction filed on \_\_\_\_\_ is a) approved or b) disapproved by the Examiner.


9.  Note the attached Information Disclosure Statement(s)( PTO-1449) Paper No(s). \_\_\_\_\_.

10.  Other: pto-892



Martin J. Angebranndt  
Primary Examiner  
Art Unit: 1756

Continuation of 5. does NOT place the application in condition for allowance because: The examiner notes that there appear to be two versions of the specification. The PTO has been using the version notated WO 99/35657 in the upper left hand portion of the first page. Page 4 of this does not mention the 16 AU limitation. This appears to correspond with the the PCT document WO 99/35657 text on page 4 of FR 2773632 and page 4 of WO 99/35657. There is no indication in these documents that the text of page was changed and the applicants oath directs one to the specification filed in the PCT/FR99/00043 as originally filed. Therefore the position of the examiner is that the specification relied upon by the PTO is the correct version, which corresponds to the oath. accompanying this mailing , the applicant is provided copies of the two specifications, FR 2777632 and WO 99/35675. Based upon this interpretation, the new matter issue still is present..

  
3/15/01